DYNESS

BF100

BF100 is a DC battery cabinet that can be installed outdoors. It is air-cooling design and is equipped with a wall-mounted hybrid inverter to achieve AC output. It is suitable for small-sized industrial and commercial scenarios.





Flexible Expansion

Single unit capacity options of 86/100kWh, supports DC expansion, with flexible capacity configuration



Safe & Reliable

Three-level fire detection + active exhaust + passive explosion-proof design to eliminate hidden hazards and ensure safe operation




Ultra-long Lifespan

LFP battery, 8000+ cycles, supports up to 10 years of extended warranty for batteries.



Simple O&M

Modular design, side outlet mode, easy to install, and easy to maintain.



Specification

Model	BF100-C80	BF100-C100
Battery		
Battery Type	LiFePO ₄	
Battery Capacity	280Ah	
Rated Current	140A	
Max. Current	16OA	
PACK Configuration	1P16S*6	1P16S*7
Voltage Range	278.4~345.6Vdc	324.8~403.2Vdc
Nominal Capacity	86kWh	100kWh
System		
Weight	1100±100kg	1200±100kg
Dimension (W/D/H)	725/1200/2260mm	
Max. Efficiency	94%	
Air Conditioner Power	2kW(Cooling), 1kW(Heating)	
Operating Temperature	-20~50°C (Derating above 45°C)	
Operating Humidity	O~95%RH (Non-condensing)	
Ingress Protection	IP55	
Anti-corrosion Grade	C3 (Optional C4)	
Cooling Method	Air-cooling	
Noise	≤65dB	
Elevation	3000m (Derating above 2000m)	
Display	Touch screen	
Fire Protection	Aerosol, Multi-sensor/Water ingress, Explosion-proof ventilation	
Communication	Ethernet/4G/RS485	
Certification	CE, LVD, UN38.3	
Depth of Discharge	95%	
Cycle Life*	≥8000 cycles/10 years	
Compatible Inverters	Solis/SOSEN/SOLINTEG/Megarevo	

^{*}Operating conditions: 0.2C Charging & Discharging, @25°C, 95% DOD

